

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S87	26219	internal adj standard	US- PG PUB; USPAT	OR	ON	2008/04/03 15:00
S88	0	kit with internal adj standard with sample with collect\$4	US- PG PUB; USPAT	OR	ON	2008/04/03 15:01
S89	5	kit with internal adj standard same sample with collect\$4	US- PG PUB; USPAT	OR	ON	2008/04/03 15:02
S90	135	kit with internal adj standard	US- PG PUB; USPAT	OR	ON	2008/04/03 15:03
S91	0	kit with internal adj standard same loss	US- PG PUB; USPAT	OR	ON	2008/04/03 15:05
S92	5	kit with internal adj standard and internal with (loss evaporat \$4)	US- PG PUB; USPAT	OR	ON	2008/04/03 15:08
S93	10	kit same internal adj standard and internal with (loss evaporat \$4)	US- PG PUB; USPAT	OR	ON	2008/04/03 15:10
S94	5	kit same internal adj standard and internal with (loss evaporat \$4) not S92	US- PG PUB; USPAT	OR	ON	2008/04/03 15:11

4/4/2008 2:52:40 PM

C:\ Documents and Settings\phyun\ My Documents\ EAST\ Workspaces
\10,719,929.wsp